



Shenzhen Ilockey Technology Co.,Ltd

Add:20th Floor Shuipan Building, No 3193 Binghe Avenue,  
Futian District, Shenzhen City, China

Tel:+86-755 8404 6958 Fax:86-755 8404 6959


Email:info@ilockey.com www.ilockey.com



Focused on smart locks solution

## TTlock Smart Door Lock Catalogue

Shenzhen Ilockey Technology Co.Ltd  
2021 Edition





## Company Profile

Ilockey is a leading smart lock company in China, the founding team has specialized in designing and manufacturing smart door locks for more than 13 years. We provide one-stop smart lock solutions for different places, such as public areas, smart access for private residences, traditional hotels, homestay, and short renting.

Our products include smart door locks, hotel door locks, smart cabinet locks, and lock accessories. All of our smart locks are strictly according to CE, SGS & Europe fire test standards.

Especially our hotel lock system, as it is integrated into the Opera PMS, it is easy for you to win the high-end hotel project. Our smart locks have been widely used in many brand companies, like Technogym, IHS Hotel & Resort, Good feeling fitness, Huawei Talent apartment, etc.

With an area of 5,000 square meters, we can do nearly 200,000 pcs a year. 13+ years professional sales and after-sales team to offer fast response and timely service, our clients feel like spring breeze to communicate with us.

If you are looking for a Chinese custom smart door lock manufacturer or have limited experience on how to custom your lock system, Ilockey will be your essential choice.






## QUALITY CONTROL

Illockey focus on every detail during R&D, manufacturing and sales, we strictly execute the 5S management rules in the production line to ensure the quality of final products.

We always strive for excellence from the raw material and use the internationally renowned high-end brand components and parts, which will ensure the stability for our products.

The PCB module are with moisture test, mouldproof proccession and high-low temperature test, vibration test and life test for special using condition.

PCB LIFE TEST



### SWITCH LIFE TEST

Energy Saving switch is with 24 hours continuous test under wide range 65-260v. working current capacity is 40AMP, it is much higher than the normal energy saver in the market.



### SMT

SMT PCB production ensured the stability of our lock CPU, which solved the problem of pseudo soldering, welding leakage and short circuit and guarantee your safety during use.




### HIGH AND LOW TEMPERATURE TEST

High and low temperature test for PCB board, which ensure the using life under hot or cold condition.



### CIRCUIT BOARD ASSEMBLY

Integrated PCB module provide one quick solution for maintenance;Friendly software provide you one easy and comfortable experience for managing the whole system!



### LOCK MORTISE

Mortise is with Japan Mabuchi Motor, it is stable and reliable. Continue life test for motor is over 1000,000 times.

# A201 series

## Smart Door Lock



APP Unlock



Fingerprint Unlock




Password Unlock



Key Unlock



USB Power Supply



Voice Prompts



# A201 series

## Smart Door Lock


### Features:

1. Replace lever handle with single latch or mortise directly.
2. TUYA App is the key and also management interface.
3. Compatible with various mortise to fit 99% doors.
4. One-Touch-Access Biometric Fingerprint sensor on the reader.
5. Strong and secure Aluminum alloy lock panel, Anti-corrosion and sturdy.
6. Life cycle can reach min 300K times.
7. Back-up USB external power supply interface, in case the power is dead.
8. Reversible free style handle.
9. CE, RoHS, FCC Certified.
10. Suitable for Wooden Door, Security Door, Iron Door

### Parameter:

Communication mode	Wifi or Bluetooth
Support system	IOS 7.0 or above Android 4.4 or above
Power supply	4pcs AA Alkaline batteries
Battery life	10000 times normal open
working temperature	-20~50 degree
working humidity	10%-95%
Mortise	single latch 60/70 3585/4585/ 6085/ 6072 / 5572
Door Thickness	35-65mm

### Dimension:



### Mortise Options:



Unlocking via BLE

Unlocking via WIFI

Unlocking via fingerprint

Unlocking via Card

Unlocking via time-limited password

Unlocking via Key

Voice guidance


Multiple alert

USB port for emergency

Reversible handle



works with  
amazon alexa



**Dimension:**

Technical drawings showing the dimensions of the door locks in millimeters (mm):

- Front view dimensions (common to all):
  - Top section height: 43 mm
  - Bottom section height: 142 mm
  - Bottom section width: 80 mm
- Side view dimensions (common to all):
  - Lock body thickness: 22.5 mm
  - Handle thickness: 30.3 mm

1. Super slim design, idea fit for narrow panel metal door or PVC door.
2. Access by Bluetooth/WiFi App, Card, Fingerprint, Password, Wristband or keys.
3. TTlock & TThotel App version are available to choose.
4. Compatible with Euro mortise 5572 &4585 series to widely fit doors.
5. Super slim panel size, widely accepted in each region.
6. One-Touch-Access Biometric Fingerprint sensor on the reader.
7. Strong and secure SUS304 lock panel, Anti-corrosion and study.
8. Life cycle can reach min 300K times.
9. Back-up USB external power supply interface, in case the power is dead.
10. Reversible free style handle.
11. CE, RoHS, FCC Certified.
12. Suitable for Metal door, wooden door,PVC door,sliding door.

Communication mode	Wifi or Bluetooth
Support system	IOS 7.0 or above
	Android 4.4 or above
Power supply	4pcs AA Alkaline batteries
Battery life	10000 times normal open
working temperature	-20~50 degree
working humidity	10%-95%
Mortise	3585/4585/ 6085/ 6072 / 5572
Door Thickness	38-65mm

Technical drawing of the door handle assembly showing front and side views with dimensions:

- Front View (Left):** Shows the handle with a keypad. Dimensions: 142 (total width), 43 (handle width), 30.3 (keypad height), and 22.5 (base plate height).
- Front View (Right):** Shows the handle with a push button. Dimensions: 142 (total width), 43 (handle width), and 22.5 (base plate height).
- Side View (Left):** Shows the handle profile. Dimensions: 80 (total depth), 30.3 (keypad depth), and 22.5 (base plate depth).
- Side View (Right):** Shows the handle profile. Dimensions: 80 (total depth) and 22.5 (base plate depth).

Technical drawings of six different door handle models, each with its dimensions:

- A001705**: Dimensions include 270 mm (height), 25 mm (width), 65 mm (height), and 22 mm (width).
- A01705**: Dimensions include 270 mm (height), 25 mm (width), 65 mm (height), and 22 mm (width).
- A02705**: Dimensions include 270 mm (height), 25 mm (width), 65 mm (height), and 22 mm (width).
- A03705**: Dimensions include 270 mm (height), 25 mm (width), 65 mm (height), and 22 mm (width).
- A04705**: Dimensions include 270 mm (height), 25 mm (width), 65 mm (height), and 22 mm (width).
- A05705**: Dimensions include 270 mm (height), 25 mm (width), 65 mm (height), and 22 mm (width).

# A220 series

## Smart Door Lock



Unlocking  
via BLE



Unlocking  
via WIFI



Unlocking via  
time-limited  
password



Unlocking  
via Card



Unlocking  
via Key



Mutiple  
alert



USB port for  
emergency



Voice  
guidance



Powered by  
**tuya**  
Intelligence  
Inside

works with  
amazon alexa

works with  
Google Assistant

# A220 series

## Smart Door Lock



A220-SS



A220-BN



A220-GN


### Features:

1. Replace the deadbolt to auto-lock deadbolt easily(TTlock App),no more forgetting to lock your door;
2. Access by Bluetooth/WiFi App, Card,Password, Wristband or keys
3. TUYA & TT lock App version are available to choose.
4. Remote grant access to your home even when you're away;
5. Provide temporary passwords to nanny or maintenance worker;
6. Timed pass code to friends,no more long time waiting;
7. Remote authorized user unlock;
8. Abnormal unlock with alarm alert for security;
9. Passage mode for party or leisure occasion;
10. Real Time Tracking;
11. Strong and secure aluminum alloy lock panel,Anti-corrosion and sturdy;
12. SUS304 adjustable 60-70 deadbolt to suit your door;
13. CE, RoHS, FCC Certified.
14. Suitable for Wooden Door, Security Door, Iron Door.

### Parameter:

Material	Aluminum lock panel
Available color	Black, silver, Gray
Accept door thickness	35-55mm
Communication mode	Tuya/TTlock App
Support system	IOS 7.0 or above, Android 4.4 or above
Battery life	10000 times normal open (12 months)
Power supply	4pcs AA Alkaline batteries
Working temperature	-20~50 degree
Working humidity	10%-95%
Available mortise	US standard deadbolt

### Dimension:



### Mortise Options:



# A230 series

## Smart Door Lock



Unlocking  
via BLE



Unlocking  
via WIFI



Unlocking via  
fingerprint



Unlocking  
via Card



Unlocking via  
time-limited password



Unlocking  
via Key



Voice  
guidance



Mutiple  
alert



USB port for  
emergency



Reversible  
handle



Powered by  
**tuya**  
Intelligence  
Inside

works with  
amazon alexa

works with  
Google Assistant

# A230 series

## Smart Door Lock

### Features:

1. Access by Bluetooth/WiFi App, Card, Fingerprint, Password, Wristband or keys.
2. TUYA & TT lock App version are available to choose.
3. Compatible with various mortise to fit 99% doors.
4. Handy size, widely accepted in each region.
5. One-Touch-Access Biometric Fingerprint sensor on the reader.
6. Strong and secure Aluminum alloy lock panel, Anti-corrosion and study.
7. Life cycle can reach min 300K times.
8. Back-up USB external power supply interface, in case the power is dead.
9. Reversible free style handle.
10. CE, RoHS, FCC Certified.
11. Suitable for Wooden Door, Security Door, Iron Door



A230F-BN



A230-BN



A230F-SN




A230-SN


### Parameter:

Communication mode	Wifi or Bluetooth
Support system	IOS 7.0 or above Android 4.4 or above
Power supply	4pcs AA Alkaline batteries
Battery life	10000 times normal open
working temperature	-20~50 degree
working humidity	10%-95%
	single latch 60/70
Mortise	European 5050/ 6050 / 3585/4585/ 6085/ 6072 / 5572
Door Thickness	35-65mm

### Dimension:



### Mortise Options:



# A260 series

## Smart Door Lock



Unlocking via BLE



Unlocking via WIFI



Unlocking via fingerprint



Unlocking via Card



Unlocking via time-limited password



Unlocking via Key



Voice guidance



Mutiple alert



USB port for emergency



Reversible handle





# A260 series

## Smart Door Lock

### Features:


1. Access by Bluetooth/WiFi App, Card, Fingerprint, Password, Wristband or keys.
2. TUYA & TT lock App version are available to choose.
3. Compatible with various mortise to fit 99% doors.
4. Handy size, widely accepted in each region.
5. One-Touch-Access Biometric Fingerprint sensor on the reader.
6. Strong and secure Aluminum alloy lock panel, Anti-corrosion and study.
7. Life cycle can reach min 300K times.
8. Back-up USB external power supply interface, in case the power is dead.
9. Reversible free style handle.
10. CE, RoHS, FCC Certified.
11. Suitable for Wooden Door, Security Door, Iron Door




### Parameter:

Communication mode	Wifi or Bluetooth
Support system	IOS 7.0 or above
	Android 4.4 or above
Power supply	4pcs AA Alkaline batteries
Battery life	10000 times normal open
working temperature	-20-50 degree
working humidity	10%-95%
Mortise	single latch 60/70
	European 5050/ 6050 / 3585/4585/ 6085/ 6072 / 5572
Door Thickness	35-65mm

### Dimension:




### Mortise Options:




# A290 series

## Smart Door Lock




Unlocking via BLE




Unlocking via WIFI




Unlocking via fingerprint




Unlocking via Card




Unlocking via time-limited password




Unlocking via Key




Voice guidance



Mutiple alert




USB port for emergency




Reversible handle






Powered by  
**tuya**  
Intelligence Inside



works with  
**amazon alexa**



works with  
**Google Assistant**

# A290 series

## Smart Door Lock

### Features:

1. Replace knob set or lever handle with a screw driver only.
2. Access by Bluetooth/WiFi App, Card, Fingerprint, Password, Wristband or keys.
3. TUYA & TT lock App version are available to choose.
4. Compatible with various mortise to fit 99% doors.
5. Handy size, widely accepted in each region.
6. One-Touch-Access Biometric Fingerprint sensor on the reader.
7. Strong and secure Aluminum alloy lock panel, Anti-corrosion and sturdy.
8. Life cycle can reach min 300K times.
9. Back-up USB external power supply interface, in case the power is dead.
10. Reversible free style handle.
11. CE, RoHS, FCC Certified.
12. Suitable for Wooden Door, Security Door, Iron Door.



A290F-BN

A290-BN




A290F-SN

A290-SN


### Parameter:

Communication mode	Wifi or Bluetooth
Support system	IOS 7.0 or above Android 4.4 or above
Power supply	4pcs AA Alkaline batteries
Battery life	10000 times normal open
working temperature	-20~50 degree
working humidity	10%-95%
Mortise	single latch 60/70 European 5050/ 6050 / 3585/4585/ 6085/ 6072 / 5572
Door Thickness	35-65mm

### Dimension:



### Mortise Options:



# X5 series Smart Door Lock



Unlocking  
via BLE



Unlocking  
via WIFI



Unlocking via  
fingerprint



Unlocking  
via Card



Unlocking via  
time-limited  
password



Unlocking  
via Key



Voice  
guidance



Mutiple  
alert



USB port for  
emergency



Reversible  
handle



Powered by  
**tuya**  
Intelligence  
Inside

works with  
amazon alexa

works with  
Google Assistant

# X5 series Smart Door Lock



Black



Satin Nickel

## Features:

1. Access by Bluetooth/WiFi App, Card, Fingerprint, Password, Wristband or keys.
2. TUYA & TT lock App version are available to choose.
3. Compatible with various mortise to fit 99% doors.
4. Handy size, widely accepted in each region.
5. One-Touch-Access Biometric Fingerprint sensor on the reader.
6. Strong and secure Aluminum alloy lock panel, Anti-corrosion and study.
7. Life cycle can reach min 300K times.
8. Back-up USB external power supply interface, in case the power is dead.
9. Reversible free style handle.
10. CE, RoHS, FCC Certified.
11. Suitable for Wooden Door, Security Door, Iron Door


## Parameter:

Communication mode	Wifi or Bluetooth
Support system	IOS 7.0 or above Android 4.4 or above
Power supply	4pcs AA Alkaline batteries
Battery life	10000 times normal open
working temperature	-20~50 degree
working humidity	10%-95%
Mortise	single latch 60/70 European 5050/ 6050 / 3585/4585/ 6085/ 6072 / 5572
Door Thickness	35-65mm

## Dimension:



## Mortise Options:



# 006 series Smart Door Lock



Unlocking  
via BLE



Unlocking  
via WIFI




Unlocking via  
time-limited  
password



Unlocking  
via Card



Unlocking  
via Key



Mutiple  
alert



USB port for  
emergency



Voice  
guidance



# 006 series Smart Door Lock



IF006-S



IM006-S



IF006-B



IM006-B

## Features:

1. Patent tilted structure design for better view and convenient operation.
2. Replace knob lock directly without adding any extra holes.
3. Fingerprint/mobile App/password/M1 card; App management.
4. One-Touch-Access Biometric Fingerprint sensor on the reader.
5. Strong and secure Zinc alloy lock panel, Anti-corrosion and sturdy.
6. Back-up USB external power supply interface, in case the power is dead.
7. Wrong password (or illegal card) alarm; Low voltage alarm; Pick proof alarm (optional); Anti-peep password.
8. Security locking by switch from inside.
9. Manual-locking or auto-locking available.
10. Upto1000pcs access records can be queried for monitoring; Mechanical key override.
11. Suitable for Wooden Door, Security Door, Iron Door


## Parameter:

App name	TTLock
Support system	IOS7.0 or Android 4.4 or above
Material	Zinc alloy and Aryclic keypad
Power supply	4 AA alkaline battery
Unlock way	smart phone app+Fingerprint+ code +card
Card capacity	100 pcs
Fingerprint capacity	200 pcs
Custom password	150 pcs
Operating temperature	- 20~70 °C
Operating humidity	20-93%RH
Mortise	60/70 adjustable deadbolt/Rim lock
Door thickness	32-65mm

## Dimension:



## Mortise Options:



works with  
amazon alexa

works with  
Google Assistant

The image displays eight icons arranged in a 3x2 grid, each representing a different method of unlocking a device. The icons are as follows:

- Top Left:** A black circle containing a white Bluetooth symbol.
- Top Right:** A black Wi-Fi symbol consisting of three curved lines and a central dot.
- Middle Left:** A 3x3 grid of nine small circles, with the center circle being slightly larger and darker than the others.
- Middle Right:** A black icon of a credit card with a chip and a magnetic stripe.
- Bottom Left:** A black icon of a key.
- Bottom Middle:** A black icon of a door handle with a keyhole and a small square above it.
- Bottom Right:** A black icon of a USB Type-A connector.
- Bottom Far Right:** A black icon of a microphone.




works with  
amazon alexa

works with  
Google Assistant



IF007-S

IM007-S



1. Patent tilted structure design for better view and convenient operation.
2. Replace knob lock directly without adding any extra holes.
3. Fingerprint/mobile App/password/M1 card; App management.
4. One-Touch-Access Biometric Fingerprint sensor on the reader.
5. Strong and secure Zinc alloy lock panel, Anti-corrosion and sturdy.
6. Back-up USB external power supply interface, in case the power is dead.
7. Wrong password (or illegal card) alarm; Low voltage alarm; Pick proof alarm (optional); Anti-peep password.
8. Security locking by switch from inside.
9. Manual-locking or auto-locking available.
10. Upto1000pcs access records can be queried for monitoring; Mechanical key override.
11. Suitable for Wooden Door, Security Door, Iron Door

App name	TTLock
Support system	IOS7.0 or Android 4.4 or above
Material	Zinc alloy and Aryclic keypad
Power supply	4 AA alkaline battery
Unlock way	smart phone app+Fingerprint+ code +card
Card capacity	100 pcs
Fingerprint capacity	200 pcs
Custom password	150 pcs
Operating temperature	- 20-70℃
Operating humidity	20-93%RH
Mortise	60/70 adjustable deadbolt/Rim lock
Door thickness	32-65mm

Technical drawing of the N350 door lock. The front view (left) shows a vertical rectangular unit with a width of 70mm and a height of 163mm. It features a keyhole at the top, a central handle, and a small rectangular slot at the bottom. The side view (right) shows the lock's profile with a width of 40.1mm and a height of 27.7mm. The side view also displays a circular keypad with numbers 0-9 and symbols, and a keyhole in the center.

## Latches

Technical drawings of two types of door latches:

- Standard Latch:**
  - Side view dimensions: 34.3 (width), 152.6 (height), 18.3 (bottom flange).
  - Front view dimensions: 84.6 (width), 34.6 (bottom flange).
  - Front view features: "OPEN" indicator, a circular button, and a small rectangular slot.
- Pull-out Latch:**
  - Two side views are shown, labeled "backset 60mm" and "backset 70mm".
  - A detailed 3D view shows dimensions: 25mm (width), 57mm (height), 21mm (top flange), 60mm (body length), and 82mm (total length).

# IG5 series

## Smart Door Lock



APP Unlock



Fingerprint Unlock



Password Unlock



Card Unlock



Key Unlock



# IG5 series

## Smart Door Lock



Black



Pink



Silvery

### Features:

1. Material: Zinc alloy and Aryclic keypad
2. Power supply: 4pcs AA alkaline batteries
3. unlock time: 1.5 seconds
4. Unlock method: app, code , card, fingerprint passcode
5. Card capacity: 150 pcs
6. Fingerprint capacity: 150pcs
7. Application: wooden door/ Glass door/ aluminum door/
8. Glass door thickness requirement: 8-14mm (it can be customized according to your requirement)

### Parameter:

**Door Type:**Wood door, Steel door, Stainless Steel door, Brass door

**Place of Origin:**Guangdong, China

**Brand Name:**lockey

**Model Number:**GL2

**Remote control:**Long range remote control from 1000 kms

**Standards:**Specification v4.0

**App name:**TUYA APP

**Unlock method:**M1 card, fingerprint passcode, App

**Material:**Zinc Alloy

**Color:**Silver


**Application:**sliding glass door

**Usage:**Glass door lock


**Certification:**CE FCC ROHS

**MOQ:**1 Piece

### Dimension:



### Mortise Options:



# 1008series

## Smart Door Lock



Unlocking  
via BLE



Unlocking  
via Card



Unlocking via  
fingerprint



Unlocking  
via Key



Unlocking via  
time-limited  
password



Mutiple  
alert



Voice  
guidance



USB port for  
emergency



works with  
amazon alexa

works with  
Google Assistant

# 1008series

## Smart Door Lock



IF008-BN



IM008-BN



IF008-SN



IM008-SN


### Features:

1. Directly update knob set to smart lock.
2. TTlock&TTlock App version are available to choose.
3. Compatible with adjustable 50,60,70 single latch.
4. Access by Bluetooth/ App, Card, Fingerprint, Password, Wristband or keys.
5. One-Touch-Access Biometric Fingerprint sensor on the reader.
6. Strong and secure Zinc alloy lock panel, Anti-corrosion and study.
7. Back-up USB external power supply interface, in case the power is dead.
8. CE, RoHS, FCC Certified.
9. Suitable for Wooden Door, Security Door, Iron Door

### Parameter:

Communication mode	Bluetooth
Support system	IOS 7.0 or above Android 4.4 or above
Power supply	4pcs AA Alkaline batteries
Battery life	10000 times normal open
working temperature	-20~50 degree
working humidity	10%-95%
Mortise	single latch 50/60/70
Door Thickness	32-65mm

### Dimension:




### Mortise Options:

Single Latch  
#50/ #60/ #70 are available



# M1 series

## Smart Door Lock



Unlocking via BLE



Unlocking via WIFI



Unlocking via fingerprint



Unlocking via Card



Unlocking via time-limited password




Unlocking via Key



Voice guidance



Mutiple alert




USB port for emergency




Reversible handle






Powered by  
**tuya**  
Intelligence Inside



works with  
amazon alexa



works with  
Google Assistant

# M1 series

## Smart Door Lock



Black



Satin Nickle

### Features:

1. Big size idea smart lock for most of entrance security door;
2. Compatible with ANSI 6068 mortise(hooks for option);
3. Access by Bluetooth/WiFi App, Card, Fingerprint, Password, Wristband or keys.
4. TUYA & TT lock App version are available to choose.
5. One-Touch-Access Biometric Fingerprint sensor on the reader.
6. Strong and secure Aluminum alloy lock panel, Anti-corro-sion and study.
7. Life cycle can reach min 300K times.
8. Back-up USB external power supply interface, in case the power is dead.
9. Reversible free style handle.
10. CE, RoHS, FCC Certified.
11. Suitable for Wooden Door, Security Door, Iron Door


### Parameter:

Communication mode	Wifi or Bluetooth
Support system	IOS 7.0 or above Android 4.4 or above
Power supply	4pcs AA Alkaline batteries
Battery life	10000 times normal open
working temperature	-20-50 degree
working humidity	10%-95%
Mortise	240x24mm
Door Thickness	45-65mm

### Dimension:



### Mortise Options:



# R5 series

## Smart Door Lock



APP Unlock



Fingerprint Unlock



Password Unlock



Card Unlock



Key Unlock



works with  
amazon alexa



works with  
Google Assistant



# R5 series

## Smart Door Lock



R5

### Features:

1. Smart Rim lock suitable for multiple doors,no request for mortise hole drilling.
2. Tuya APP or TTlock app version are available for option;
3. Remote grant access to your home even when you're away;
4. Provide temporary passwords to nanny or maintenance worker;
5. Timed pass code to friends,no more long time waiting;
6. Remote authorized user unlock;
7. Abnormal unlock with alarm alert for security;
8. Passage mode for party or leisure occasion;
9. Real Time Tracking;
10. IP64 waterproof design;
11. Size: 156x59x39mm


### Parameter:

Material	Aluminum alloy
Available color	Satin Nickel, Black Nickel
Panel Sizes	L 240(mm)*W 60(mm)
Unlock method	tuya App, M1 Card, Pass code, Fingerprint, Wristband or key
App name	TT lock or Tuya app
Support system	IOS7.0 or Android 4.4 or above
Batteries life	10000 times normal open( 12 months)
Power supply	DC6V, 4pcs alkaline batteries
Static current	45Ua
Dynamic current	<200Ma
Unlock time	1-1.5 seconds
Door thickness	35-70mm

### Dimension:



### Mortise Options:





PROJECT  
REFERENCE



AMERIAN CARLOS



Arona Hotel



Ashirwad Hotel



Best western



BW GROUP



Cromhotels



Crystal Hotel Russia



Dechen Palmos



Ephesus princess  
hotel



Gosin University



Gyongbok  
University



HOTEL  
BICENTENARIO



Hotel Gualok



Hotel MM Paradise



HOTEL QUORUM



LOS NARANJOS



Mallak APART  
HOTEL



Royal shelton Hotel



Shelton Hotel



HOTEL TURISMO  
DE FORMOSA



Hward Jonson



HwardJonson



Kabul palace



QUIRINALE



RAMADA



Mansion Hotel



Swan Lake



The Regent Hotels



Yacht Golf Hotel